


Amendments To The Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

What is claimed is:

1. – 9. (Canceled).

10. (Currently Amended) A compound of formula (I); or a pharmaceutically acceptable salt, ~~or solvate~~ thereof:



wherein:

R¹ represents ~~-C₃₋₇-cycloalkyl~~ cyclobutyl or cyclopentyl optionally substituted by C₁₋₃ alkyl;

R² represents -aryl, -heterocyclyl, -heteroaryl, -aryl-X-C₃₋₈ cycloalkyl, -aryl-X-aryl, -aryl-X-heteroaryl, -aryl-X-heterocyclyl, -heteroaryl-X-C₃₋₈ cycloalkyl, -heteroaryl-X-aryl, -heteroaryl-X-heteroaryl, -heteroaryl-X-heterocyclyl, -heterocyclyl-X-C₃₋₈ cycloalkyl, -heterocyclyl-X-aryl, -heterocyclyl-X-heteroaryl, or -heterocyclyl-X-heterocyclyl;

X represents a bond, O, CO, -CH₂O-, -COCH₂-, -COCH₂O-, -CONR^{2b}-, -COCH₂NR^{2b}CO-, -CSNH-, SO₂, -SO₂C₁₋₃ alkyl-, -SO₂C₂₋₃ alkenyl-, -COC₂₋₃ alkenyl-, -CO-C(R^{2a})(R^{2b})-, or -CO-C(R^{2a})(R^{2b})CH₂-;

R^{2a} represents hydrogen or C₁₋₆ alkyl;

R^{2b} represents hydrogen, C₁₋₆ alkyl, aryl, heteroaryl, heterocyclyl, or C₁₋₆ alkylamido;

R³ represents halogen, C₁₋₆ alkyl, C₁₋₆ alkoxy, cyano, amino, or trifluoromethyl;
n is 0, 1, or 2;

wherein said alkyl, cycloalkyl, aryl, heteroaryl and heterocyclyl groups of R^2 may be optionally substituted by one or more substituents which may be the same or different, and which are selected from the group consisting of halogen, hydroxy, cyano, nitro, =O, haloC₁₋₆ alkyl, haloC₁₋₆ alkoxy, C₁₋₆ alkyl, hydroxyC₁₋₆ alkyl, C₁₋₆ alkoxy, arylC₁₋₆ alkoxy, C₁₋₆ alkylthio, C₁₋₆ alkoxyC₁₋₆ alkyl, C₃₋₇ cycloalkylC₁₋₆ alkoxy, C₁₋₆ alkanoyl, C₁₋₆ alkoxycarbonyl, C₁₋₆ alkylsulfonyl, C₁₋₆ alkylsulfinyl, C₁₋₆ alkylsulfonyloxy, C₁₋₆ alkylsulfonylC₁₋₆ alkyl, sulfonyl, arylsulfonyl, arylsulfonyloxy, arylsulfonylC₁₋₆ alkyl, aryloxy, C₁₋₆ alkylsulfonamido, C₁₋₆ alkylamino, C₁₋₆ alkylamido, -R⁵, -CO₂R⁵, -COR⁵, -C₁₋₆ alkyl-COR⁵, C₁₋₆ alkylsulfonamidoC₁₋₆ alkyl, C₁₋₆ alkylamidoC₁₋₆ alkyl, arylsulfonamido, arylcarboxamido, arylsulfonamidoC₁₋₆ alkyl, arylcarboxamidoC₁₋₆ alkyl, aroyl, arylC₁₋₆ alkyl, aroylC₁₋₆ alkyl, arylC₁₋₆ alkanoyl, or a group -NR⁶R⁷, -C₁₋₆ alkyl-NR⁶R⁷, -C₃₋₈ cycloalkyl-NR⁶R⁷, -CONR⁶R⁷, -NR⁶COR⁷, -NR⁶SO₂R⁷, -OCONR⁶R⁷, -NR⁶CO₂R⁷, -NR⁵CONR⁶R⁷, and -SO₂NR⁶R⁷,

wherein said R⁵, R⁶, and R⁷ independently represent hydrogen, C₁₋₆ alkyl, haloC₁₋₆ alkyl, -C₃₋₈ cycloalkyl, -C₁₋₆ alkyl-C₃₋₈ cycloalkyl, aryl, -C₁₋₆ alkyl-aryl, heterocyclyl, or heteroaryl; or wherein -NR⁶R⁷ may represent a nitrogen containing heterocyclyl group, and wherein said R⁵, R⁶ and R⁷ groups may be optionally substituted by one or more substituents which may be the same or different, and which are selected from the group consisting of halogen, hydroxy, C₁₋₆ alkyl, C₁₋₆ alkoxy, cyano, amino, =O, and trifluoromethyl.

11. (Currently Amended) A compound according to claim 10 selected from the group consisting of:

3-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]benzonitrile;

4-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]benzonitrile;

2-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]benzonitrile;

7-{4-[(2-chlorophenyl)carbonyl]-1-piperazinyl}-3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclobutyl-7-[4-(tetrahydro-2H-pyran-4-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
 4-{[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}benzonitrile ;
 7-[4-(2,1,3-benzoxadiazol-5-ylcarbonyl)-1-piperazinyl]-3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepine;
 7-{4-[(2-chlorophenyl)sulfonyl]-1-piperazinyl}-3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclobutyl-7-[4-(4-morpholinylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-phenyl-1-piperazinecarboxamide;
 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-[4-(methyloxy)phenyl]-1-piperazinecarboxamide;
 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-[3-(methyloxy)phenyl]-1-piperazinecarboxamide;
 N-(4-chlorophenyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinecarboxamide;
 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-(4-ethylphenyl)-1-piperazinecarboxamide;
 1-(4-{[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl)-2,2,2-trifluoroethanone;
 1-(4-{[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl)-1-propanone;
 3-cyclobutyl-7-(4-{[4-(3-pyridinyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclobutyl-7-{4-[(2-methyl-5-phenyl-1,3-thiazol-4-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(3,4-dichlorophenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-thienylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}benzonitrile;

3-cyclopentyl-7-{4-[(4-methyl-3,4-dihydro-2H-1,4-benzoxazin-7-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(phenyloxy)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2,3-dihydro-1,4-benzodioxin-6-ylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-(4-{[3,4-bis(methyloxy)phenyl]sulfonyl}-1-piperazinyl)-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[3-(methyloxy)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(methyloxy)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

2,6-dichloro-4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}phenol;

3-cyclopentyl-7-[4-(8-quinolinylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(5-isoquinolinylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-1H-imidazol-4-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,4-dimethyl-1,3-thiazol-5-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1,3,5-trimethyl-1H-pyrazol-4-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3-thienylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1-benzothien-3-ylsulfonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N,N-dimethyl-1-piperazinesulfonamide;

3-cyclopentyl-7-[4-(thieno[2,3-b]pyridin-2-ylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine; 3-cyclopentyl-7-{4-[(2,2,2-trifluoroethyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(phenylmethyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methylethyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(4-methylphenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(4-chlorophenyl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(2-chlorophenyl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(3-chlorophenyl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,3-dichlorophenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(1,1-dimethylethyl)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

N-(4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}phenyl)acetamide;

1-(4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}phenyl)ethanone;

3-cyclopentyl-7-(4-{[2-(1-naphthalenyl)ethyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-[[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl]benzoic acid;

3-cyclopentyl-7-(4-[[4-(trifluoromethyl)phenyl]sulfonyl]-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(4-biphenylsulfonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-[[5-(1,3-oxazol-5-yl)-2-thienyl]sulfonyl]-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-naphthalenylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

5-[[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl]-N,N-dimethyl-1-naphthalenamine;

3-cyclopentyl-7-(4-[[E)-2-phenylethenyl]sulfonyl]-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-[[4-(1-methylethyl)phenyl]sulfonyl]-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-[(3-chloro-2-methylphenyl)sulfonyl]-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(1-naphthalenylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-[(5-chloro-2-thienyl)sulfonyl]-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(methylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-[[3-(trifluoromethyl)phenyl]sulfonyl]-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-[[5-(2-pyridinyl)-2-thienyl]sulfonyl]-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-[(4-chloro-1-benzothien-2-yl)sulfonyl]-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(2,1,3-benzoxadiazol-4-ylsulfonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-{4-[(1,2-dimethyl-1H-imidazol-4-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;
 N-(5-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}-4-methyl-1,3-thiazol-2-yl)acetamide;
 3-cyclopentyl-7-{4-[(3,5-dichlorophenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-[4-({4-[(trifluoromethyl)oxy]phenyl}sulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-(4-{[2-(trifluoromethyl)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-{4-[(3,5-dimethyl-4-isoxazolyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-(4-{[6-(phenyloxy)-3-pyridinyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-[4-(phenylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-{4-[(5-methyl-1-phenyl-1H-pyrazol-4-yl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;
 7-(4-{[(4-chlorophenyl)methyl]sulfonyl}-1-piperazinyl)-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-[4-({[4-(trifluoromethyl)phenyl]methyl}sulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-[4-(2,3-dihydro-1-benzofuran-5-ylsulfonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
 6-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]sulfonyl}-2H-chromen-2-one;
 3-cyclopentyl-7-(4-{[5-(3-isoxazolyl)-2-thienyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(2,1,3-benzothiadiazol-5-ylsulfonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;
 7-(4-{[5-chloro-2-(methyloxy)phenyl]sulfonyl}-1-piperazinyl)-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-{4-[(5-fluoro-2-methylphenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;
 7-{4-[(4-bromo-2-ethylphenyl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;
 7-{4-[(6-chloroimidazo[2,1-b][1,3]thiazol-5-yl)sulfonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-(4-{[3-(5-methyl-1,3,4-oxadiazol-2-yl)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-{4-[(2,5-dimethyl-3-thienyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-(4-{[4-methyl-2-(methyloxy)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-(4-{[2-(3-methylphenyl)ethyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-(4-{[4-(methylsulfonyl)phenyl]sulfonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-{4-[(3,4,5-trimethylphenyl)sulfonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;
 4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}benzonitrile;
 3-cyclopentyl-7-[4-(4-pyridinylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-[4-(cyclopentylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclopentyl-7-[4-(1H-indol-3-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-([2-(phenyloxy)phenyl]carbonyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-([2-(methyloxy)phenyl]carbonyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine; 3-cyclopentyl-7-{4-[(3,4-dichlorophenyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine; 3-cyclopentyl-7-[4-(2-phenylpropanoyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine; 3-cyclopentyl-7-(4-([4-(1H-pyrazol-1-yl)phenyl]acetyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine; 3-cyclopentyl-7-{4-[(4-methyl-2-phenyl-3-furanyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-([4-(1,1-dimethylethyl)phenyl]carbonyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

(3-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl)(phenyl)methanone;

3-cyclopentyl-7-[4-(2,3-dihydro-1-benzofuran-2-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(4-biphenylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(5-chloro-1-benzothien-2-yl)carbonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1-benzothien-2-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(5-methyl-4-phenyl-2-thienyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1,3-benzothiazol-6-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(phenylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-naphthalenylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

1-(4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl) ethanone;

3-cyclopentyl-7-(4-([4-(1-methylethyl)phenyl]carbonyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-([4-(trifluoromethyl)phenyl]carbonyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-({3-[(trifluoromethyl)oxy]phenyl}carbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-(4-{[2-bromo-5-(methyloxy)phenyl]carbonyl}-1-piperazinyl)-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

N-{2-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]-2-oxoethyl}-2-methylbenzamide;

3-cyclopentyl-7-[4-(1,3-dihydro-2H-isoindol-2-ylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(3-chlorophenyl)carbonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(4-chlorophenyl)carbonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(2-chlorophenyl)carbonyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(4-nitrophenyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

N-(4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl)acetamide;

(4-{[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]carbonyl}phenyl)dimethylamine;

3-cyclopentyl-7-(4-([3-(methyloxy)phenyl]carbonyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-({4-[(1-methylethyl)oxy]phenyl}carbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-([4-(methyloxy)phenyl]carbonyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-(4-[[3-chloro-5-(methoxy)phenyl]carbonyl]-1-piperazinyl)-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1,3-benzodioxol-5-ylacetyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-[[5-(phenylmethyl)-2-furanyl]carbonyl]-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3-furanylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-[[3-(2-furanyl)phenyl]carbonyl]-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(cyclopropylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3,3-dimethylbutanoyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-[(2E)-3-phenyl-2-propenoyl]-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

~~3-cyclopentyl-7-[4-[(cis-4-[(1,1-dimethylethyl)oxy]cyclohexyl)carbonyl]-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;~~

3-cyclopentyl-7-(4-[[1-(1-methylethyl)-4-piperidinyl]carbonyl]-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

1-{2-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]-2-oxoethyl}-2-piperidinone;

3-cyclopentyl-7-(4-[[1-(1-methylethyl)oxy]acetyl]-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

N-[(1R)-2-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]-2-oxo-1-phenylethyl]acetamide;

3-cyclopentyl-7-[4-[1-(phenylmethyl)-L-prolyl]-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2,3-dihydro-1H-inden-2-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[3-methyl-2-(phenylmethyl)butanoyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1,1-dioxido-3,4-dihydro-2H-1-benzothiopyran-6-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(methylsulfonyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3,4-dihydro-2H-chromen-2-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2,3-dihydro-1-benzofuran-7-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(3-pyridinyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3-quinolinylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(pyrazolo[1,5-a]pyridin-3-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(5-isoquinolinylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1-benzothien-3-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[5-(2-pyridinyl)-2-thienyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1,3-dimethyl-1H-thieno[2,3-c]pyrazol-5-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(4-methyl-2-phenyl-1,3-thiazol-5-yl)acetyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1,3-benzothiazol-2-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(imidazo[2,1-b][1,3]thiazol-5-ylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-([4-(3,5-dimethyl-1H-pyrazol-1-yl)phenyl]carbonyl)-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,4-dimethyl-1,3-oxazol-5-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(4-pyridinylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

6-{2-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinyl]-2-oxoethyl}-2(1H)-quinolinone;

3-cyclopentyl-7-[4-(phenylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(1-methylethyl)phenyl]acetyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-naphthalenylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(diphenylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(trifluoromethyl)phenyl]acetyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-{4-[(4-chlorophenyl)acetyl]-1-piperazinyl}-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(methyloxy)phenyl]acetyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3-thienylacetyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1-benzothien-4-ylacetyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-(4-{[4-(1-piperidinylcarbonyl)phenyl]carbonyl}-1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(1-benzofuran-4-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-furanylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,5-dimethyl-3-furanyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(1-methyl-L-prolyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(phenyloxy)acetyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(2-thienylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(3-thienylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(2,4-dimethyl-1,3-thiazol-5-yl)acetyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(1,3-thiazol-5-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(5-phenyl-1,3-thiazol-4-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(1,3-thiazol-4-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-[4-(pyrazolo[1,5-a]pyrimidin-3-ylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-1H-indazol-3-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[4-(2,1,3-benzoxadiazol-5-ylcarbonyl)-1-piperazinyl]-3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-1H-pyrazol-5-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-3-phenyl-1H-pyrazol-4-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(3,5-dimethyl-4-isoxazolyl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(4-methyl-1,2,5-oxadiazol-3-yl)acetyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-1H-imidazol-2-yl)acetyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclopentyl-7-{4-[(1-methyl-1H-imidazol-2-yl)carbonyl]-1-piperazinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-2-thienyl-1-piperazinecarboxamide;

4-{[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]carbonyl}benzonitrile;

4-({[(5R)-3-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}oxy)benzonitrile;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)benzonitrile;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-methylbenzamide;

1-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)phenyl]-2-propanone;

2-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)phenyl]-N-methylacetamide;

6-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-methyl-3-pyridinecarboxamide;

3-cyclobutyl-7-[5-(4-morpholinylcarbonyl)-2-pyridinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-methylbenzamide;

5-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-2-furancarbonitrile;

3-cyclobutyl-7-(1,3-thiazol-2-yl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N,3-dimethylbenzamide;

4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-3-fluoro-N-methylbenzamide;

6-{[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)phenyl]oxy}-N-methyl-3-pyridinecarboxamide;

3-cyclobutyl-7-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

5-[[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]carbonyl]-2-pyridinecarbonitrile;

3-[[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]carbonyl]benzonitrile;

3-cyclobutyl-7-[1-(2-pyrazinylcarbonyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-{1-[(4-fluorophenyl)carbonyl]-4-piperidinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

7-[1-(2,1,3-benzoxadiazol-5-ylcarbonyl)-4-piperidinyl]-3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-(1-{[6-(trifluoromethyl)-3-pyridinyl]carbonyl}-4-piperidinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(1,3-thiazol-4-ylcarbonyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-{1-[(2-fluorophenyl)carbonyl]-4-piperidinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(2-pyridinylcarbonyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(3-pyridinylcarbonyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(pyrazolo[1,5-a]pyrimidin-3-ylcarbonyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(6-quinoxaliny carbonyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(5-quinoxaliny carbonyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-{1-[(6-methyl-3-pyridinyl)carbonyl]-4-piperidinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-[1-(6-methyl-3-pyridinyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-cyclobutyl-7-{1-[6-(trifluoromethyl)-3-pyridinyl]-4-piperidinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

3-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]benzonitrile;

4-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]benzonitrile;

6-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-N-methyl-3-pyridinecarboxamide;

5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-N-methyl-2-pyrazinecarboxamide;

5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-N-methyl-2-pyridinecarboxamide;

1-{6-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-3-pyridinyl}-2-pyrrolidinone;

3-cyclobutyl-7-(4-pyridinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;

6-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-N-methyl-3-pyridinecarboxamide;

3-cyclopentyl-7-{1-[6-(trifluoromethyl)-3-pyridinyl]-4-piperidinyl}-2,3,4,5-tetrahydro-1H-3-benzazepine;

methyl 5-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-2-pyrazinecarboxylate;

5-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-N-methyl-2-pyrazinecarboxamide;

4-({4-[3-(2-methylcyclopentyl)-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl]-1-piperidinyl}carbonyl)benzonitrile;

~~4-[[4-(3-cyclohexyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]carbonyl]benzonitrile;~~

4-{{4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl}carbonyl}benzonitrile;

N-(4-cyanophenyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinecarboxamide;
 N-(4-cyanophenyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinecarbothioamide;
 3-cyclobutyl-7-[4-(1-naphthalenylcarbonyl)-1-piperazinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-(4-fluorophenyl)-1-piperazinecarboxamide;
 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-[4-(methoxy)phenyl]-1-piperidinecarboxamide;
 N-(3-cyanophenyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinecarboxamide;
 3-cyclobutyl-7-[1-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
 N-(6-cyano-3-pyridinyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinecarboxamide;
 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-N-3-pyridinylbenzamide;
 phenylmethyl 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinecarboxylate;
 phenylmethyl 4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperazinecarboxylate;
 3-cyclopentyl-7-(1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
 3-cyclobutyl-7-(1-piperazinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
 phenylmethyl 4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-3,6-dihydro-1(2H)-pyridinecarboxylate;
 3-cyclobutyl-7-(4-piperidinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
 methyl 6-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-3-pyridinecarboxylate;
 6-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-3-pyridinecarboxylic acid;
 methyl 5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-2-pyrazinecarboxylate;


5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-2-pyrazinecarboxylic acid;
1,1-dimethylethyl 5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-2-pyridinecarboxylate;
5-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-2-pyridinecarboxylic acid;
3-cyclobutyl-7-[1-(5-iodo-2-pyridinyl)-4-piperidinyl]-2,3,4,5-tetrahydro-1H-3-benzazepine;
3-cyclopentyl-7-(4-pyridinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
3-cyclopentyl-7-(4-piperidinyl)-2,3,4,5-tetrahydro-1H-3-benzazepine;
5-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-1-piperidinyl]-2-pyrazinecarboxylic acid; and
(5R)-3-(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-5-(hydroxymethyl)-1,3-oxazolidin-2-one;
or a pharmaceutically acceptable salt ~~or solvate~~ thereof.

12. (Currently Amended) A pharmaceutical composition which comprises the compound of formula (I) as defined in claim 10 or a pharmaceutically acceptable salt ~~or solvate~~ thereof and a pharmaceutically acceptable carrier or excipient.

13. (Currently Amended) A method of treatment of a neurological diseases which comprises administering to a ~~host~~ human in need thereof an effective amount of a compound of formula (I) as defined in claim 10 or a pharmaceutically acceptable salt ~~or solvate~~ thereof, wherein said neurological disease is selected from the group consisting of cognitive impairment, Alzheimer's disease, and age-related memory dysfunction.


14. (Currently Amended) A process for the preparation of a compound of formula (I) according to claim 10 or a pharmaceutically acceptable salt ~~or solvate~~ thereof, which process comprises:

- (a) reacting a compound of formula (II)



wherein R^1 , R^3 and n are as defined in claim 10 and L^1 represents a suitable leaving group, or an optionally activated hydroxyl group with a compound of formula R^2-Y , wherein R^2 is as defined in claim 10 and Y represents hydrogen or a suitable coupling group; or


- (b) reacting a compound of formula (III)



wherein R^2 , R^3 and n are as defined as in claim 10, with a compound of formula R^1-L^2 , wherein R^1 is as defined in claim 10 and L^2 represents a suitable leaving group; or


- (c) reacting a compound of formula (III) as defined herein, with a ketone of formula $R^{1'}=O$, wherein $R^{1'}$ is ~~C_{3-7} -cycloalkyl~~ cyclobutyl or cyclopentyl optionally substituted by C_{1-3} alkyl; or

- (d) preparing a compound of formula (I) as defined in claim 10 wherein R^2 represents -heterocyclyl, wherein said heterocyclyl is a 1,3-oxazolidin-2-one group substituted at the 5-position with a hydroxymethyl group, and wherein the oxazolidin-2-one group is attached to the benzazepine moiety through the nitrogen atom, which comprises reacting a compound of formula (IV)



in a two step process, wherein R^1 , R^3 and n are as defined in claim 10, with a benzyl chloroformate group and then glycidol butyrate; or

- (e) preparing a compound of formula (I) wherein R^2 represents -aryl, -heteroaryl, -aryl-X- C_{3-8} cycloalkyl, -aryl-X-aryl, -aryl-X-heteroaryl, -aryl-X-heterocyclyl, -heteroaryl-X- C_{3-8} cycloalkyl, -heteroaryl-X-aryl, -heteroaryl-X-heteroaryl, -heteroaryl-X-heterocyclyl, which comprises reacting a compound of formula (XI)



wherein R^1 , R^3 and n are as defined in claim 10 and Z^1 represents a suitable coupling group with a compound of formula $R^{2''}$ - L^1 , wherein L^1 represents a suitable leaving group, or an optionally activated hydroxyl group and $R^{2''}$ represents the groups -aryl, -heteroaryl, -aryl-X- C_{3-8} cycloalkyl, -aryl-X-aryl, -aryl-X-heteroaryl, -aryl-X-heterocyclyl, -heteroaryl-X- C_{3-8} cycloalkyl, -heteroaryl-X-aryl, -heteroaryl-X-heteroaryl, -heteroaryl-X-heterocyclyl, or

- (f) deprotecting a compound of formula (I) which is protected; or
- (g) interconversion from another compound of formula (I).